

## SAFETY DATA SHEET

This safety data sheet complies with the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Issuing Date 22-Nov-2021 Revision Date 05-Jul-2021 Revision Number 1.02

# Section 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. Product identifier

Product Code(s) SDS-06418 EN E

Product Name Support, WSS™150

PN (Part Number) OBJ-09103

Denmark

PR No N/A

Chemical name Acrylic formulation

Pure substance/mixture Mixture

## 1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended Use Printing inks

Uses advised against

This product is a cartridge containing ink. Under normal conditions of use, the substance is

released from a cartridge only inside an appropriate printing system, and therefore,

exposure is limited

## 1.3. Details of the supplier of the safety data sheet

**Importer** 

Stratasys EMEA Regional Office

Airport Boulevard B 120

77836 Rheinmünster, Germany Phone: +49-7229-7772-0

For further information, please contact

E-mail address info@Stratasys.com

1.4. Emergency telephone number

Emergency Telephone +44 1235 239670 - Europe - Multi lingual response

Austria Poison Information Centre (AT): +43-(0)1-406 43 43

 Belgium
 Poison Centre (BE): +32 70 245 245

 Bulgaria
 Poison Center (BG): +359 (0)2 9154 233

 Croatia
 Poison Control (CR): +385 1 2348 342

Czech Republic Poison Control (CS): +420 224 919 293, +420 224 915 402

 Denmark
 Poison Control Hotline (DK): +45 82 12 12 12

 Estonia
 Poison Control (ET): 112, 16662, +372 7943 794

 Finland
 Poison Information Centre (FI): +358 9 471 977

France ORFILA (FR): + 01 45 42 59 59

Greece Poison Information Center (EL): +30 210 779 3777 Emergency Poison Centre telephone

number, Aglaia Kyriakou Children's Hospital

Hungary Poison Information Service (HU): +36 (06) 80 201-199

EN / EGHS Page 1/13

**Ireland** +353 (0)1 809 2166 – public poisons information line **Italy** Poison Centre, Milan (IT): +39 02 6610 1029

Latvia State Fire and Rescue Service, phone number: 112. State Toxicology Center, Poisoning

and Drug Information Center, Hipokrāta 2, Riga, Latvia, LV-1079, phone number +371

67042473

Lithuania Poison Information Office (LT): 112, +370 (8)5 236 20 52, +370 (8)6 875 33 78

Netherlands National Poisons Information Center (NVIC): 030-274 8888 (Only for the purpose of

informing medical personnel in cases of acute intoxications)

NorwayPoisons Information (NO): + 47 22 591300PortugalPoison Information Centre (PT): +351 808 250 250SlovakiaPoison Information Service (SK): +421 911 166066SpainPoison Information Service (ES): +34 91 562 04 20

**Sweden** 112 – ask for Poisons Information **Switzerland** 170x Info Suisse: 145, +41 44 251 51 51

## **Section 2: HAZARDS IDENTIFICATION**

#### 2.1. Classification of the substance or mixture

Regulation (EC) No 1272/2008

regulation (EG) NO 1272/2000	
Acute toxicity - Oral	Category 4 - (H302)
Serious eye damage/eye irritation	Category 1 - (H318)
Skin sensitisation	Category 1A - (H317)
Specific target organ toxicity (repeated exposure)	Category 2 - (H373)
Chronic aquatic toxicity	Category 2 - (H411)

## 2.2. Label elements

Contains 4-(1-Oxo-2-propenyl)-morpholine, Phenyl bis(2,4,6-trimethylbenzoyl)-phosphine oxide, Tris (N-hydroxy-N-nitrosophenylaminato-O,O`) aluminium



Signal word Danger

## **Hazard statements**

H302 - Harmful if swallowed

H317 - May cause an allergic skin reaction

H318 - Causes serious eye damage

H373 - May cause damage to organs through prolonged or repeated exposure

H411 - Toxic to aquatic life with long lasting effects

#### **Precautionary Statements**

P101 - If medical advice is needed, have product container or label at hand

P102 - Keep out of reach of children

P260 - Do not breathe vapour

P273 - Avoid release to the environment

P280 - Wear protective gloves and eye/face protection

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

P310 - Immediately call a POISON CENTER or doctor

P391 - Collect spillage

P501 - Dispose of contents/ container to an approved waste disposal plant

## 2.3. Other hazards

Toxic to aquatic life.

\_\_\_\_\_

EN / EGHS Page 2/13

## Section 3: COMPOSITION/INFORMATION ON INGREDIENTS

#### 3.1 Substances

#### 3.2 Mixtures

Chemical name	EC No	CAS No	Index no.	Weight-%	Classification according to Regulation (EC) No. 1272/2008 [CLP]	REACH Registration Number
Proprietary	No information available	-	-	30-50	Acute Tox. 4 (H302) Eye Dam. 1 (H318) Skin Sens. 1 (H317) STOT RE 2 (H373)	01-0000016491-73-XXX X
Proprietary	Not Listed	-	-	30-50	Acute Tox. 4 (H302)	No data available
Proprietary	No information available	-	-	1-3	Skin Sens. 1A (H317) Aquatic Chronic 4 (H413)	No data available
Proprietary	No information available	-	-	0.3-1	Acute Tox. 4 (H302) Skin Sens. 1B (H317) Aquatic Chronic 1 (H410)	No data available
Xylene	215-535-7	1330-20-7	601-022-00-9	<0.1	Flam. Liq. 3 (H226) Acute Tox. 4 (H312) Acute Tox. 4 (H332) Skin Irrit. 2 (H315) Eye Irrit. 2 (H319) STOT SE 3 (H335) STOT RE 2 (H373) Asp. Tox. 1 (H304)	No data available
Heptane	205-563-8	142-82-5	-	<0.1	Skin Irrit. 2 (H315) STOT SE 3 (H336) Asp. Tox. 1 (H304) Aquatic Acute 1 (H400) Aquatic Chronic 1 (H410) Flam. Liq. 2 (H225)	No data available

Full text of H- and EUH-phrases: see section 16

## **Section 4: FIRST AID MEASURES**

4.1. Description of first aid measures

General advice Show this safety data sheet to the doctor in attendance. Immediate medical attention is

required.

**Inhalation** Remove to fresh air. Get medical attention immediately if symptoms occur.

Eye contact Get immediate medical advice/attention. Rinse immediately with plenty of water, also under

the eyelids, for at least 15 minutes. Remove contact lenses, if present and easy to do.

Continue rinsing. Keep eye wide open while rinsing. Do not rub affected area.

**Skin contact** Wash off immediately with soap and plenty of water for at least 15 minutes. May cause an

allergic skin reaction. In the case of skin irritation or allergic reactions see a doctor.

**Ingestion** Do NOT induce vomiting. Rinse mouth. Never give anything by mouth to an unconscious

person. Call a doctor.

Self-protection of the first aider Avoid contact with skin, eyes or clothing. Wear personal protective clothing (see section 8).

4.2. Most important symptoms and effects, both acute and delayed

**Symptoms** Burning sensation. Itching. Rashes. Hives.

4.3. Indication of any immediate medical attention and special treatment needed

Note to doctors May cause sensitisation in susceptible persons. Treat symptomatically.

EN / EGHS Page 3/13

## **Section 5: FIREFIGHTING MEASURES**

5.1. Extinguishing media

Use extinguishing agent suitable for type of surrounding fire **Suitable Extinguishing Media** 

> Class B fires: Use carbon dioxide (CO2), regular dry chemical (sodium bicarbonate), regular foam (Aqueous Film Forming Foam-AFFF), or water spray to cool containers

No information available. Unsuitable extinguishing media

5.2. Special hazards arising from the substance or mixture

Specific hazards arising from the

chemical

Product is or contains a sensitiser. May cause sensitisation by skin contact.

5.3. Advice for firefighters

Special protective equipment for

fire-fighters

Move containers from fire area if you can do it without risk. Cool containers with flooding quantities of water until well after fire is out. Isolate the hazard area and deny entry to unnecessary and unprotected personnel. Keep out of drains, sewers, ditches and waterways. Inhalation is a health risk. Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protection equipment.

## Section 6: ACCIDENTAL RELEASE MEASURES

## 6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions Avoid contact with skin, eyes or clothing. Use personal protective equipment as required.

Ensure adequate ventilation. Evacuate personnel to safe areas. Keep people away from

and upwind of spill/leak.

**Occupational Spill Release** Intact cartridges do not pose a leak or spill hazard. Damaged cartridges may leak uncured

ink. Stop leak if you can do it without risk Use water spray to reduce vapours or divert vapour cloud drift Absorb spill with inert material (e.g. dry sand or earth), then place in a

chemical waste container Keep out of drains, sewers, ditches and waterways

Refer to protective measures listed in Sections 7 and 8. Other Information

Use personal protection recommended in Section 8. For emergency responders

6.2. Environmental precautions

Prevent further leakage or spillage if safe to do so. **Environmental precautions** 

6.3. Methods and material for containment and cleaning up

Methods for containment Use a non-combustible material like vermiculite, sand or earth to soak up the product and

place into a container for later disposal. Following product recovery, flush area with water.

Take up mechanically, placing in appropriate containers for disposal. Methods for cleaning up

Prevention of secondary hazards Clean contaminated objects and areas thoroughly observing environmental regulations.

6.4. Reference to other sections

Reference to other sections See section 8 for more information. See section 13 for more information.

EN / EGHS Page 4/13

## Section 7: HANDLING AND STORAGE

#### 7.1. Precautions for safe handling

Advice on safe handling Avoid breathing vapours or mists. Wash thoroughly after handling. Obtain special

instructions before use. Do not handle until all safety precautions have been read and understood. Use personal protective equipment as required. Use only outdoors or in a well-ventilated area. Wear protective gloves and eye/face protection. Contaminated work clothing should not be allowed out of the workplace. Avoid release to the environment. Do

not eat, drink or smoke when using this product.

General hygiene considerations Avoid contact with skin, eyes or clothing. Wear suitable gloves and eye/face protection. Do

not eat, drink or smoke when using this product.

## 7.2. Conditions for safe storage, including any incompatibilities

Storage Conditions Store in a cool, dry area away from potential sources of heat, open flames, sunlight or other

chemicals. Store in a cool, well ventilated area. Store in accordance with local regulations. Keep container tightly closed. Store between 15 °C and 27 °C. Shipment temperature (up to 5 weeks) is -20 °C to 50 °C. Store in a combustible storage area away from heat and open

flame.

Hints on joint storage

Storage class LGK10 - Combustible liquids unless storage class 3

7.3. Specific end use(s)

Risk Management Methods (RMM) The information required is contained in this Material Safety Data Sheet.

## Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Exposure disclaimer

Personal protection measures are only needed if cartridge is damaged punctured causing spillage of material.

## 8.1. Control parameters

#### **Exposure Limits**

Chemical name	European Union	United Kingdom	France	Spain	Germany
Xylene	TWA 50 ppm	TWA: 50 ppm	TWA: 50 ppm	TWA: 50 ppm	TWA: 50 ppm
1330-20-7	TWA 221 mg/m <sup>3</sup>	TWA: 220 mg/m <sup>3</sup>	TWA: 221 mg/m <sup>3</sup>	TWA: 221 mg/m <sup>3</sup>	TWA: 220 mg/m <sup>3</sup>
	STEL 100 ppm	STEL: 100 ppm	TWA: 1000 mg/m <sup>3</sup>	STEL: 100 ppm	H*
	STEL 442 mg/m <sup>3</sup>	STEL: 441 mg/m <sup>3</sup>	STEL: 100 ppm	STEL: 442 mg/m <sup>3</sup>	
	*	Sk*	STEL: 442 mg/m <sup>3</sup>	vía dérmica*	
			STEL: 1500 mg/m <sup>3</sup>		
			*		
Heptane	TWA 500 ppm	TWA: 500 ppm	TWA: 400 ppm	TWA: 500 ppm	TWA: 500 ppm
142-82-5	TWA 2085 mg/m <sup>3</sup>	TWA: 2085 mg/m <sup>3</sup>	TWA: 1668 mg/m <sup>3</sup>	TWA: 2085 mg/m <sup>3</sup>	TWA: 2100 mg/m <sup>3</sup>
		STEL: 1500 ppm	TWA: 1000 mg/m <sup>3</sup>		
		STEL: 6255 mg/m <sup>3</sup> STEL: 500 ppm			
		STEL: 2085 mg/m <sup>3</sup>			
			STEL: 1500 mg/m <sup>3</sup>		
Chemical name	Italy	Portugal	Netherlands	Finland	Denmark
Xylene	TWA: 50 ppm	TWA: 50 ppm	TWA: 210 mg/m <sup>3</sup>	TWA: 50 ppm	TWA: 25 ppm
1330-20-7	TWA: 221 mg/m <sup>3</sup>	TWA: 221 mg/m <sup>3</sup>	STEL: 442 mg/m <sup>3</sup>	TWA: 220 mg/m <sup>3</sup>	TWA: 109 mg/m <sup>3</sup>
	STEL: 100 ppm	STEL: 100 ppm	H*	STEL: 100 ppm	H*
	STEL: 442 mg/m <sup>3</sup>	STEL: 442 mg/m <sup>3</sup>		STEL: 440 mg/m <sup>3</sup>	
	pelle*	P*		iho*	

EN / EGHS Page 5/13

Heptane 142-82-5	TWA: 500 ppm TWA: 2085 mg/m <sup>3</sup>	TWA: 500 ppm TWA: 2085 mg/m <sup>3</sup>	TWA: 1200 mg/m <sup>3</sup> STEL: 1600 mg/m <sup>3</sup>	TWA: 300 ppm TWA: 1200 mg/m <sup>3</sup>	TWA: 200 ppm TWA: 820 mg/m <sup>3</sup>
		STEL: 500 ppm		STEL: 500 ppm STEL: 2100 mg/m <sup>3</sup>	J
Chemical name	Austria	Switzerland	Poland	Norway	Ireland
Xylene	TWA: 50 ppm	TWA: 100 ppm	STEL: 200 mg/m <sup>3</sup>	TWA: 25 ppm	TWA: 50 ppm
1330-20-7	TWA: 221 mg/m <sup>3</sup>	TWA: 435 mg/m <sup>3</sup>	TWA: 100 mg/m <sup>3</sup>	TWA: 108 mg/m <sup>3</sup>	TWA: 221 mg/m <sup>3</sup>
	STEL 100 ppm	STEL: 200 ppm		STEL: 37.5 ppm	STEL: 100 ppm
	STEL 442 mg/m <sup>3</sup>	STEL: 870 mg/m <sup>3</sup>		STEL: 135 mg/m <sup>3</sup>	STEL: 442 mg/m <sup>3</sup>
		H*		H*	Sk*
Heptane	TWA: 500 ppm	TWA: 400 ppm	STEL: 2000 mg/m <sup>3</sup>	TWA: 200 ppm	TWA: 500 ppm
142-82-5	TWA: 2000 mg/m <sup>3</sup>	TWA: 1600 mg/m <sup>3</sup>	TWA: 1200 mg/m <sup>3</sup>	TWA: 800 mg/m <sup>3</sup>	TWA: 2085 mg/m <sup>3</sup>
	STEL 2000 ppm	STEL: 400 ppm		TWA: 40 ppm	STEL: 1500 ppm
	STEL 8000 mg/m <sup>3</sup>	STEL: 1600 mg/m <sup>3</sup>		TWA: 275 mg/m <sup>3</sup>	STEL: 6255 mg/m <sup>3</sup>
				STEL: 250 ppm	
				STEL: 1000 mg/m <sup>3</sup>	
				STEL: 60 ppm	
				STEL: 343.75	
				mg/m³	

Chemical name	Sweden	Slovakia			
Xylene	NGV: 50 ppm	TWA: 50 ppm	-	-	-
1330-20-7	NGV: 221 mg/m <sup>3</sup>	TWA: 221 mg/m <sup>3</sup>			
	*	K*			
	Bindande KGV: 100				
	ppm				
	Bindande KGV: 442				
	mg/m³				
Heptane	NGV: 200 ppm	TWA: 500 ppm	-	-	-
142-82-5	NGV: 800 mg/m <sup>3</sup>	TWA: 2085 mg/m <sup>3</sup>			
	NGV: 350 mg/m <sup>3</sup>				
	Vägledande KGV:				
	300 ppm				
	Vägledande KGV:				
	1200 mg/m <sup>3</sup>				

## **Biological occupational exposure limits**

Chemical name	European Union	United Kingdom	France	Spain	Germany
Xylene 1330-20-7	-	650	-	1	2000 mg/L
Chemical name	Italy	Portugal	Netherlands	Finland	Denmark
Xylene 1330-20-7	-	-	-	5.0	
Chemical name	Austria	Switzerland	Poland	Norway	Ireland
Xylene 1330-20-7	-	2	-	-	-

**Derived No Effect Level (DNEL)** No information available.

**Predicted No Effect Concentration** No information available.

(PNEC)

8.2. Exposure controls

Personal protective equipment

**Eye/face protection** Tight sealing safety goggles.

Hand Protection Wear suitable gloves.

EN / EGHS Page 6/13

**Skin and body protection** Wear suitable protective clothing.

exceeded or irritation is experienced, ventilation and evacuation may be required.

General hygiene considerations Avoid contact with skin, eyes or clothing. Wear suitable gloves and eye/face protection. Do

not eat, drink or smoke when using this product.

**Environmental exposure controls** No information available.

## **Section 9: PHYSICAL AND CHEMICAL PROPERTIES**

9.1. Information on basic physical and chemical properties

Physical stateLiquidAppearanceInk cartridgeOdourCharacteristicColourlight yellow

Odour threshold No information available

<u>Property</u> <u>Values</u> <u>Remarks • Method</u>

pH N/A

Melting point / freezing pointNo data availableNone knownBoiling point / boiling rangeNo data availableNone known

Flash point 136 °C

Evaporation rateNo data availableNone knownFlammability (solid, gas)No data availableNone knownFlammability Limit in AirNone known

Upper flammability limit: No data available Lower flammability limit No data available

Vapour pressureNo data availableNone knownVapour densityNo data availableNone knownRelative density1.10g/cm3

Water solubility Soluble in water

Solubility(ies) No data available None known **Partition coefficient** No data available None known **Autoignition temperature** No data available None known **Decomposition temperature** No data available None known Kinematic viscosity No data available None known Dynamic viscosity No data available None known

Explosive properties

Oxidising properties

No information available
No information available

9.2. Other information

Softening point
Molecular weight
VOC Content (%)
Liquid Density
Bulk density
Particle Size
Particle Size
No information available

## **Section 10: STABILITY AND REACTIVITY**

10.1. Reactivity

**Reactivity** Heating may cause a fire.

EN / EGHS Page 7/13

10.2. Chemical stability

Stability Decomposes on exposure to light. Unstable if heated.

**Explosion data** 

Sensitivity to Mechanical Impact None. Sensitivity to Static Discharge None.

10.3. Possibility of hazardous reactions

10.4. Conditions to avoid

**Conditions to avoid** Avoid exposure to heat and light.

10.5. Incompatible materials

**Incompatible materials** Not applicable under normal conditions of use and storage.

10.6. Hazardous decomposition products

Hazardous decomposition products Thermal Decomposition Products. Combustion: oxides of carbon.

## Section 11: TOXICOLOGICAL INFORMATION

## 11.1. Information on toxicological effects

Information on likely routes of exposure

**Product Information** 

**Inhalation** Specific test data for the substance or mixture is not available.

Eye contact Severely irritating to eyes. Causes serious eye damage. May cause burns. May cause

irreversible damage to eyes. (based on components).

**Skin contact** May cause irritation. May cause sensitisation by skin contact. Repeated or prolonged skin

contact may cause allergic reactions with susceptible persons. (based on components).

Ingestion Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhoea. Harmful if

swallowed. (based on components).

Information on toxicological effects

**Symptoms** Redness. Burning. May cause blindness. Itching. Rashes. Hives.

Numerical measures of toxicity

Acute toxicity

The following values are calculated based on chapter 3.1 of the GHS document

ATEmix (oral) 602.70 mg/kg

**Component Information** 

	Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Proprietary = 588 mg/kg (rat)		> 2000 mg/kg (rat)	= 5.28 mg/l (rat)	
	Proprietary	> 64 mL/kg = 2830 µL/kg	> 2000 mg/kg (Rat)	-

EN / EGHS Page 8/13

	= 2830 μL/kg (Rat)> 64 mL/kg(Rat)		
Proprietary	> 2000 mg/kg > 2000 mg/kg (Rat)	> 2000 mg/kg (Rat)	-
Xylene	= 3500 mg/kg = 3500 mg/kg ( Rat )	> 4350 mg/kg ( Rabbit )	= 29.08 mg/L (Rat) 4 h
Heptane	-	= 3000 mg/kg (Rabbit)	> 73.5 mg/L (Rat) 4 h

## Delayed and immediate effects as well as chronic effects from short and long-term exposure

**Skin corrosion/irritation** May cause skin irritation. Classification based on data available for ingredients.

Serious eye damage/eye irritation Classification based on data available for ingredients. Causes burns. Risk of serious

damage to eyes.

Respiratory or skin sensitisation May cause sensitisation by skin contact. Classification based on data available for

ingredients.

**Germ cell mutagenicity** No information available.

**Carcinogenicity** No information available.

**Reproductive toxicity**STOT - single exposure
No information available.
No information available.

**STOT - repeated exposure** Classification based on data available for ingredients.

**Aspiration hazard** No information available.

## **Section 12: ECOLOGICAL INFORMATION**

12.1. Toxicity

**Ecotoxicity** Toxic to aquatic life with long lasting effects

**Unknown aquatic toxicity**Contains 1.4815 % of components with unknown hazards to the aquatic environment.

Chemical name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea
Proprietary	120 mg/l (algae)	-	-	120 mg/kg (daphnia)
Proprietary	-	90: 96 h Danio rerio µg/L	-	-
		LC50 semi-static		
Xylene	-	13.1 - 16.5: 96 h Lepomis	-	0.6: 48 h Gammarus
		macrochirus mg/L LC50		lacustris mg/L LC50 3.82:
		flow-through 13.5 - 17.3:		48 h water flea mg/L
		96 h Oncorhynchus		EC50
		mykiss mg/L LC50 2.661		
		- 4.093: 96 h		
		Oncorhynchus mykiss		
		mg/L LC50 static 23.53 -		
		29.97: 96 h Pimephales		
		promelas mg/L LC50		
		static 30.26 - 40.75: 96 h		
		Poecilia reticulata mg/L		
		LC50 static 7.711 -		
		9.591: 96 h Lepomis		
		macrochirus mg/L LC50		
		static 13.4: 96 h		
		Pimephales promelas		
		mg/L LC50 flow-through		

EN / EGHS Page 9/13

		19: 96 h Lepomis		
		macrochirus mg/L LC50		
		780: 96 h Cyprinus carpio		
		mg/L LC50 semi-static		
		780: 96 h Cyprinus carpio		
		mg/L LC50		
Heptane	-	375.0: 96 h Cichlid fish	-	-
-		mg/L LC50		

## 12.2. Persistence and degradability

Persistence and degradability No information available.

12.3. Bioaccumulative potential

**Bioaccumulation** There is no data for this product.

**Component Information** 

Chemical name	Partition coefficient					
Xylene	3.15					
Heptane	4.66					

#### 12.4. Mobility in soil

Mobility in soil No information available.

#### 12.5. Results of PBT and vPvB assessment

**PBT and vPvB assessment**No information available.

12.6. Other adverse effects

Other adverse effects No information available.

## **Section 13: DISPOSAL CONSIDERATIONS**

13.1. Waste treatment methods

Waste from residues/unused

products

Dispose of in accordance with local regulations. Dispose of waste in accordance with

environmental legislation.

**Contaminated packaging** Do not reuse empty containers.

Waste codes / waste designations

according to EWC / AVV

08 03 12\* Waste ink containing dangerous substances.

## Section 14: TRANSPORT INFORMATION

Additional information The environmentally hazardous substance mark is not required when transported in sizes

of ≤5L or ≤5kg

The marine pollutant mark is not required when transported in sizes of ≤5L or ≤5kg

IMDG

14.1 UN number or ID number UN3082

**14.2 UN proper shipping name** ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.

14.3 Transport hazard class(es)

EN / EGHS Page 10/13

14.4 Packing group

**Description** UN3082, ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Tris

(N-hydroxy-N- nitrosophenylaminato-O,O') aluminium, Heptane), 9, III, Marine pollutant

14.5 Marine pollutant This product contains a chemical which is listed as a severe marine pollutant according to

IMDG/IMO

Environmental hazards Yes

**14.6 Special Provisions** 274, 335, 969 **EmS-No** F-A, S-F

14.7 Transport in bulk according to No information available

Annex II of MARPOL and the IBC

Code

RID

14.1 UN number or ID number UN3082

**14.2 UN proper shipping name** ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.

14.3 Transport hazard class(es) 9 Labels 9 14.4 Packing group III

Description UN3082, ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Tris

(N-hydroxy-N- nitrosophenylaminato-O,O`) aluminium, Heptane), 9, III

14.5 Environmental hazards Yes

**14.6 Special Provisions** 274, 335, 375, 601

Classification code M6

ADR

14.1 UN number or ID number 3082

**14.2 UN proper shipping name** ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.

14.3 Transport hazard class(es) 9 Labels 9 14.4 Packing group III

**Description** 3082, ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Tris

(N-hydroxy-N- nitrosophenylaminato-O,O`) aluminium, Heptane), 9, III

14.5 Environmental hazards Yes

**14.6 Special Provisions** 274, 335, 601, 375

Classification code M6
Tunnel restriction code (-)

<u>IATA</u>

14.1 UN number or ID number UN3082

**14.2 UN proper shipping name** ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.

14.3 Transport hazard class(es) 9
14.4 Packing group

**Description** UN3082, ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Tris

(N-hydroxy-N- nitrosophenylaminato-O,O`) aluminium, Heptane), 9, III

14.5 Environmental hazards Yes

**14.6 Special Provisions** A97, A158, A197

91

ERG Code



## Section 15: REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations

EN / EGHS Page 11/13

#### **France**

Occupational Illnesses (R-463-3, France)

Chemical name	French RG number	Title
Xylene	RG 4bis,RG 84	-
1330-20-7		
Heptane	RG 84	-
142-82-5		

Water hazard class (WGK) hazard

hazardous to water (WGK 2)

#### **European Union**

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work

#### Authorisations and/or restrictions on use:

This product contains one or more substance(s) subject to restriction (Regulation (EC) No. 1907/2006 (REACH), Annex XVII)

Chemical name	Restricted substance per REACH	Substance subject to authorisation per
	Annex XVII	REACH Annex XIV
Proprietary -	75.	
Proprietary -	75.	
Xylene - 1330-20-7	75.	
Heptane - 142-82-5	75.	

## **Persistent Organic Pollutants**

Not applicable

## Dangerous substance category per Seveso Directive (2012/18/EU)

E2 - Hazardous to the Aquatic Environment in Category Chronic 2

Ozone-depleting substances (ODS) regulation (EC) 1005/2009 Not applicable

15.2. Chemical safety assessment

Chemical Safety Report No information available

## **Section 16: OTHER INFORMATION**

## Key or legend to abbreviations and acronyms used in the safety data sheet

#### Full text of H-Statements referred to under section 3

H225 - Highly flammable liquid and vapour

H226 - Flammable liquid and vapour

H302 - Harmful if swallowed

H304 - May be fatal if swallowed and enters airways

H312 - Harmful in contact with skin

H315 - Causes skin irritation

H317 - May cause an allergic skin reaction

H318 - Causes serious eye damage

H319 - Causes serious eye irritation

H332 - Harmful if inhaled

H335 - May cause respiratory irritation

H336 - May cause drowsiness or dizziness

H373 - May cause damage to organs through prolonged or repeated exposure

H400 - Very toxic to aquatic life

H410 - Very toxic to aquatic life with long lasting effects

EN / EGHS Page 12/13

H413 - May cause long lasting harmful effects to aquatic life

Legend

SVHC: Substances of Very High Concern for Authorisation:

Legend Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

TWA TWA (time-weighted average) STEL STEL (Short Term Exposure Limit)

Ceiling Maximum limit value \* Skin designation

Classification procedure			
Classification according to Regulation (EC) No. 1272/2008 [CLP]	Method Used		
Acute oral toxicity	Calculation method		
Acute dermal toxicity	Calculation method		
Acute inhalation toxicity - gas	Calculation method		
Acute inhalation toxicity - Vapor	Calculation method		
Acute inhalation toxicity - dust/mist	Calculation method		
Skin corrosion/irritation	Calculation method		
Serious eye damage/eye irritation	Calculation method		
Respiratory sensitisation	Calculation method		
Mutagenicity	Calculation method		
Carcinogenicity	Calculation method		
Reproductive toxicity	Calculation method		
STOT - single exposure	Calculation method		
Acute aquatic toxicity	Calculation method		
Chronic aquatic toxicity	Calculation method		
Aspiration toxicity	Calculation method		
Ozone	Calculation method		

Revision Date 05-Jul-2021

This material safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006

#### Disclaimer

The information provided in this Safety Data Sheet derives from a third party source. Whilst we believe that the information is correct as at the date of its publication, we do not make any representations or warranties regarding the accuracy or completeness of the information nor the quality or specification of any materials, substances or mixtures referred to herein (collectively, "Materials"). The information is being provided solely as a guideline for the safe handling, use, consumption, processing, storage, transportation, disposal and release of the Materials. The information may not be sufficient for such purposes and the user should not place any reliance on the information provided. The information may not be applicable to Materials that are combined with any materials or in any process other than as expressly stated herein. We shall not be liable for any kind of liability including, without limitation, damages, losses or expenses, arising out of or as a result of any reliance on the information contained in this Safety Data Sheet.

© 2021 Stratasys Ltd. License granted to make unlimited paper/electronic copies for internal use only. This Safety Data Sheet or sections thereof should not be published, reproduced, modified, or distributed to third parties without prior written consent from Stratasys Ltd.

**End of Safety Data Sheet** 

Product Brand POLYJET - INKS
Material State Photopolymer
Material Family Support
Product name for SDS file Support\_WSS150

EN / EGHS Page 13/13